

OUR PRODUCTS

We offer you different style of doors for entrance.

REVOLVING DOORS



2-WING REVOLVING DOOR

- Low energy consumption
- Fire warning system application (optional)
- Remote diagnostic system (optional)
- Different operation modes
- Anti-clip
- · Anti-bump
- · Anti-collide
- · Emergency and disable button

3/4 WING REVOLVING DOOR

- · Functions including noise insulation, dust reduction, and wind proof
- · Anti-clip
- · Anti-bump
- · Speed adjustment
- · Manual or automatic operation mode
- · Safety & precaution system

RCYSTAL REVOLVING DOOR



- Manual and automatic, continuous, start-stop operation mode
- · Anti-bump
- Emergency button
- Disabled button
- Safety glass



TURNSTILE REVOLVING DOOR



It is compatible with any access control system. These systems include, but not limited to remote controller, handle button, coin selector system, IC system, finger print system, palm-print, or face recognition system

OPERATION MODES

- Free entry and exit (without lock and power)
- · Limited entry and exit (by access control system)


SECURITY REVOLVING DOOR




- · High-tech detection and verification systems
- · One person at a time entrance

AUTOMATIC SLIDING DOORS









SENSORS

Microwave sensor, Photocell sensor, Foot triggering sensor, Photocell sensor, Microwave sensor

ACCESS CONTROL

Function selector, ATM card reader, Wireless switch, Card reader, Wireless button

AUTOMATIC DOOR ACCESSORIES

Hand held terminal, glass clamp, framed door connector, guide wheel, battery backup, glass clamp, adjustable guide wheel, roller shutter, release device, key switch, operator for swing gate, operator for sliding gate, Barrier

OUR SERVICES

- After sales support
- Technical Support
- Service Team
- Ensures Quality & Control
- Spare parts

Location Office 2607 Zhaoyin Mansion, 36,Hongkong Middle Road, Qingdao 266071, China.

Phone: +86 139 06399346 Email: sales@q-fsi.com Website www.q-fsi.com